

A selection of publications, all of them referred to in [PuB Med by Covas MI](#). If you want more information, please contact us.

Articles related to Olive Oil and its Polyphenols

- Martínez-González MA, Toledo E, Arós F, Fiol M, Corella D, Salas-Salvadó J, Ros E, **Covas MI**, et al. *Extra-Virgin Olive Oil Consumption Reduces Risk of Atrial Fibrillation: The PREDIMED Trial*. Circulation. 2014 Apr 30. [Epub ahead of print].
- Kotronoulas A, Pizarro N, Serra A, Robledo P, Joglar J, Rubió L, Hernaéz A, Tormos C, Motilva MJ, Fitó M, **Covas MI** et al. *Dose-dependent metabolic disposition of hydroxytyrosol and formation of mercapturates in rats*. Pharmacol Res. 2013 Nov;77:47-56.
- Farràs M, Valls RM, Fernández-Castillejo S, Giralt M, Solà R, Subirana I, Motilva MJ, Konstantinidou V, **Covas MI**, Fitó M. *Olive oil polyphenols enhance the expression of cholesterol efflux related genes in vivo in humans. A randomized controlled trial*. J Nutr Biochem 2013; 24:1334-39.
- Martín-Peláez S, **Covas MI**, et al. *Health effects of olive oil polyphenols: Recent advances and possibilities for the use of health claims*. Mol Nutr Food Res 2013; 57:760-71
- Rubio L, Valls RM, Macià A, Pedret A, Giralt M, Romero MP, de la Torre R, **Covas MI**, et al. *Impact of olive oil phenolic concentration on human plasmatic phenolic metabolites*. Food Chem. 2012 ;135:2922-9.
- Castañer O, **Covas MI**, et al. *Protection of LDL from oxidation by olive oil polyphenols is associated with a downregulation of CD40-ligand expression and its downstream products in vivo in humans*. Am J Clin Nutr. 2012;95:1238-44.
- Lou-Bonafonte JM, Fitó M, **Covas MI**, et al. *HDL-related mechanisms of olive oil protection in cardiovascular disease*. Curr Vasc Pharmacol. 2012 Jul;10:392-409.
- **Covas MI**, Gaddi AV. *Relationship of olive oil polyphenols and oxidation biomarkers*. J Nutr. 2011 Dec;141:2256
- Cotrim BA, Joglar J, Rojas MJ, del Olmo JM, Macias-González M, Cuevas MR, Fitó M, Muñoz-Aguayo D, **Covas Planells MI**, et al. *Unsaturated fatty alcohol derivatives of olive oil phenolic compounds with potential low-density lipoprotein (LDL) antioxidant and antiobesity properties*. J Agric Food Chem. 2012;60:1067-74.

- Castañer O, Fitó M, López-Sabater MC, Poulsen HE, Nyssönen K, Schröder H, Salonen JT, De la Torre-Carbot K, Zunft HF, De la Torre R, Bäumlér H, Gaddi AV, Saez GT, Tomás M, **Covas MI**; EUROLIVE Study Group. *The effect of olive oil polyphenols on antibodies against oxidized LDL. A randomized clinical trial.* Clin Nutr. 2011;30:490-3.
- Perona JS, Fitó M, **Covas MI**, et al. *Olive oil phenols modulate the triacylglycerol molecular species of human very low-density lipoprotein. A randomized, crossover, controlled trial.* Metabolism. 2011;60:893-9.
- Almeida B, Joglar J, Luque Rojas MJ, Decara JM, Bermúdez-Silva FJ, Macias-González M, Fitó M, Romero-Cuevas M, Farré M, **Covas MI**, et al. *Synthesis of fatty acid amides of catechol metabolites that exhibit antiobesity properties.* Chem Med Chem. 2010;5:1781-7.
- Khymenets O, Fitó M, Touriño S, Muñoz-Aguayo D, Pujadas M, Torres JL, Joglar J, Farré M, **Covas MI**, et al. *Antioxidant activities of hydroxytyrosol main metabolites do not contribute to beneficial health effects after olive oil ingestion.* Drug Metab Dispos. 2010;38:1417-21.
- Valls RM, Soler A, Girona J, Heras M, Romero MP, **Covas MI**, et al. *Effect of the long-term regular intake of virgin olive oil on the phenolic metabolites in human fasting plasma.* J Pharm Biomed Anal 2010;53:68-74.
- López-Miranda J, Pérez-Jiménez F, Ros E, De Caterina R, Badimón L, **Covas MI**, et al. *Olive oil and health: summary of the II international conference on olive oil and health consensus report, Jaén and Córdoba (Spain) 2008.* Nutr Metab Cardiovasc Dis 2010;20:284-94.
- Konstantinidou V, **Covas MI**, et al. *In vivo nutrigenomic effects of virgin olive oil polyphenols within the frame of the Mediterranean diet: a randomized controlled trial.* FASEB J 2010;24:2546-57.
- De la Torre-Carbot K, Chávez-Servín JL, Jaúregui O, Castellote AI, Lamuela-Raventós RM, Nurmi T, Poulsen HE, Gaddi AV, Kaikkonen J, Zunft HF, Kiesewetter H, Fitó M, **Covas MI**, et al. *Elevated circulating LDL phenol levels in men who consumed virgin rather than refined olive oil are associated with less oxidation of plasma LDL.* J Nutr 2010;140:501-8.
- **Covas MI**, et al. *Olive oil and cardiovascular health.* J Cardiovasc Pharmacol 2009;54:477-82.
- Machowetz A, Poulsen HE, Gruendel S, Weimann A, Fito M, Marrugat J, de la Torre R, Salonen JT, Nyssönen K, Mursu J, Nascetti S, Gaddi A, Kiesewetter H, Baumler H, Selmi H, Kaikkonen J, Zunft HJ, **Covas MI**, et al. *Effect of olive oils on biomarkers of oxidative DNA stress in Northern and Southern Europeans.* FASEB J 2007;21:45-52.
- Fitó M, de la Torre R, **Covas MI**. *Olive oil and oxidative stress.* Mol Nutr Food Res. 2007;5: 1215-24.

- **Covas MI**, et al. The Effect of Polyphenols in Olive Oil on Heart Disease Risk Factors. *Ann Int Med* 2006; 145: 333-341.
- Hillestrøm PR, **Covas MI**, Poulsen HE. *Effect of dietary virgin olive oil on urinary excretion of etheno-DNA adducts*. *Free Rad Biol Med* 2006;41:1133-1138
- Covas MI, et al.** *Postprandial LDL phenolic content and LDL oxidation are modulated by olive oil phenolic compounds in humans*. *Free Rad Biol Med* 2006;40:608-16.
- De la Torre-Carbot K, Jauregui O, Castellote AI, Lamuela-Raventós RM, **Covas MI**, et al. *Rapid high-performance liquid chromatography-electrospray ionization tandem mass spectrometry method for qualitative and quantitative analysis of virgin olive oil phenolic metabolites in human low-density lipoproteins*. *J Chromatogr A*. 2006;1116:69-75.
- Fitó M, Cladellas M, de la Torre R, Martí J, Alcántara M, Pujadas-Bastardes M, Marrugat J, Bruguera J, López-Sabater MC, Vila J, **Covas MI**. *Antioxidant effect of virgin olive oil in patients with stable coronary heart disease: a randomized, crossover, controlled, clinical trial*. *Atherosclerosis*. 2005;181:149-58.
- Weinbrenner T, Fitó M, Farré Albaladejo M, Saez GT, Rijken P, Tormos C, Coolen S, De la Torre R, **Covas MI**. *Bioavailability of phenolic compounds from olive oil and oxidative/antioxidant status at postprandial state in healthy humans*. *Drugs Exp Clin Res*. 2004;30:207-12.
- Weinbrenner T, Fitó M, de la Torre R, Saez GT, Rijken P, Tormos C, Coolen S, Albaladejo MF, Abanades S, Schroder H, Marrugat J, **Covas MI**. *Olive oils high in phenolic compounds modulate oxidative/antioxidative status in men*. *J Nutr*. 2004;134:2314-21.
- Marrugat J, **Covas MI**, et al. *Effects of differing phenolic content in dietary olive oils on lipids and LDL oxidation--a randomized controlled trial*. *Eur J Nutr*. 2004;43:140-7.
- Miro-Casas E, **Covas MI**, et al. *Hydroxytyrosol disposition in humans*. *Clin Chem* 2003;49:945-52.
- Miró-Casas E, **Covas MI**, et al. *Tyrosol and hydroxytyrosol are absorbed from moderate and sustained doses of virgin olive oil in humans*. *Eur J Clin Nutr* 2003;57:186-90.
- Fitó M, Gimeno E, **Covas MI**, et al. *Postprandial and short-term effects of dietary virgin olive oil on oxidant/antioxidant status*. *Lipids*. 2002;37:245-51.
- Covas MI** et al. *Coronary disease protective factors: antioxidant effect of olive oil*. *Therapie*. 2001;56:607-11.
- Miró-Casas E, Farré Albaladejo M, **Covas MI**, et al. *Capillary gas chromatography-mass spectrometry quantitative determination of hydroxytyrosol and tyrosol in human urine after olive oil intake*. *Anal Biochem* 2001;294:63-72.

- **Covas MI** et al. *Virgin olive oil phenolic compounds: binding to human low density lipoprotein (LDL) and effect on LDL oxidation.* Int J Clin Pharmacol Res 2000;20:49-54.

-Fitó M, **Covas MI** et al. *Protective effect of olive oil and its phenolic compounds against low density lipoprotein oxidation.* 2000;35:633-8.

Articles related to the Mediterranean Diet

-Casas R, Sacanella E, Urpí-Sardà M, Chiva-Blanch G, Ros E, Martínez-González MA, **Covas MI** et al. *The effects of the Mediterranean diet on biomarkers of vascular wall inflammation and plaque vulnerability in subjects with high risk for cardiovascular disease. A randomized trial.* PLoS One. 2014 Jun 12;9(6):e100084. doi: 10.1371/journal.pone.0100084.

-Tresserra-Rimbau A, Rimm EB, Medina-Remón A, Martínez-González MA, López-Sabater MC, **Covas MI** et al. *Polyphenol intake and mortality risk: a re-analysis of the PREDIMED trial.* BMC Med. 2014;12(1):77.

-Fitó M, Estruch R, Salas-Salvadó J, Martínez-Gonzalez MA, Arós F, Vila J, Corella D, Díaz O, Sáez G, de la Torre R, Mitjavila MT, Muñoz MA, Lamuela-Raventós RM, Ruiz-Gutierrez V, Fiol M, Gómez-Gracia E, Lapetra J, Ros E, Serra-Majem L, **Covas MI**; PREDIMED Study Investigators. *Effect of the Mediterranean diet on heart failure biomarkers: a randomized sample from the PREDIMED trial.* Eur J Heart Fail. 2014 May;16(5):543-50.

- Salas-Salvadó J, Bulló M, Estruch R, Ros E, **Covas MI**, et al. *Prevention of diabetes with Mediterranean diets: a subgroup analysis of a randomized trial.* Ann Intern Med. 2014 Jan 7;160(1):1-10.

- García-López M, Toledo E, Beunza JJ, Aros F, Estruch R, Salas-Salvadó J, Corella D, Ros E, **Covas MI**, et al. *Mediterranean diet and heart rate: the PREDIMED randomised trial.* Int J Cardiol. 2014 Feb 1;171(2):299-301.

- Sánchez-Villegas A, Martínez-González MA, Estruch R, Salas-Salvadó J, Corella D, **Covas MI**, et al. *Mediterranean dietary pattern and depression: the PREDIMED randomized trial.* BMC Med. 2013 Sep 20;11:208. doi: 10.1186/1741-7015-11-208.

- Toledo E, Hu FB, Estruch R, Buil-Cosiales P, Corella D, Salas-Salvadó J, **Covas MI**, et al. *Effect of the Mediterranean diet on blood pressure in the PREDIMED trial: results from a randomized controlled trial.* BMC Med. 2013 Sep 19;11:207.

- De la Torre R, De Sola S, Pons M, Duchon A, de Lagran MM, Farré M, Fitó M, Benejam B, Langohr K, Rodriguez J, Pujadas M, Bizot JC, Cuenca A, Janel N, Catuara S, **Covas MI**, et al. *Epigallocatechin-3-gallate, a DYRK1A inhibitor, rescues cognitive deficits in Down syndrome mouse models and in humans*. Mol Nutr Food Res. 2014 Feb;58(2):278-88
- Gea A, Beunza JJ, Estruch R, Sánchez-Villegas A, Salas-Salvadó J, Buil-Cosiales P, Gómez-Gracia E, **Covas MI**, et al; PREDIMED GROUP. *Alcohol intake, wine consumption and the development of depression: the PREDIMED study*. BMC Med. 2013 Aug 30;11:192. doi: 10.1186/1741-7015-11-192.
- Corella D, Carrasco P, Sorlí JV, Estruch R, Rico-Sanz J, Martínez-González MÁ, Salas-Salvadó J, **Covas MI**, et al. *Mediterranean diet reduces the adverse effect of the TCF7L2-rs7903146 polymorphism on cardiovascular risk factors and stroke incidence: a randomized controlled trial in a high-cardiovascular-risk population*. Diabetes Care. 2013 Nov;36(11):3803-11.
- Castañer O, Corella D, **Covas MI**, et al. *In vivo transcriptomic profile after a Mediterranean diet in high-cardiovascular risk patients: a randomized controlled trial*. Am J Clin Nutr. 2013 Sep;98(3):845-53
- Tresserra-Rimbau A, Medina-Remón A, Pérez-Jiménez J, Martínez-González MA, **Covas MI**, et al. *Dietary intake and major food sources of polyphenols in a Spanish population at high cardiovascular risk: The PREDIMED study*. Nutr Metab Cardiovasc Dis. 2013; 23(10):953-9.
- Guasch-Ferré M, Bulló M, Babio N, Martínez-González MA, Estruch R, **Covas MI**, et al. *Mediterranean diet and risk of hyperuricemia in elderly participants at high cardiovascular risk*. J Gerontol A Biol Sci Med Sci. 2013; 68(10):1263-70.
- Konstantinidou V, **Covas MI**, et al. *Up-to date knowledge on the in vivo transcriptomic effect of the Mediterranean diet in humans*. Mol Nutr Food Res 2013;57:772-783.
- Estruch R, Ros E, Salas-Salvadó J, **Covas MI**, et al; the PREDIMED Study Investigators. *Primary Prevention of Cardiovascular Disease with a Mediterranean Diet*. N Engl J Med 2013; 368:1279-1290.
- Ibarrola-Jurado N, Bulló M, Guasch-Ferré M, Ros E, Martínez-González MA, Corella D, Fiol M, Wärnberg J, Estruch R, Román P, Arós F, Vinyoles E, Serra-Majem L, Pintó X, **Covas MI**, et al; PREDIMED Study Investigators. *Cross-Sectional Assessment of Nut Consumption and Obesity, Metabolic Syndrome and Other Cardiometabolic Risk Factors: The PREDIMED Study*. PLoS One 2013; 8: e57367.

- Zamora-Ros R, Serafini M, Estruch R, Lamuela-Raventós RM, Martínez-González MA, Salas-Salvadó J, Fiol M, Lapetra J, Arós F, **Covas MI**, Andres-Lacueva C; on behalf of the PREDIMED Study Investigators. *Mediterranean diet and non enzymatic antioxidant capacity in the PREDIMED study: Evidence for a mechanism of antioxidant tuning*. Nutr Metab Cardiovasc Dis 2013; 23:1167-74.
- Martínez-González MA, García-Arellano A, Toledo E, Salas-Salvadó J, Buil-Cosiales P, Corella D, **Covas MI**, et al.; PREDIMED Study Investigators. *A 14-item Mediterranean diet assessment tool and obesity indexes among high-risk subjects: the PREDIMED trial*. PLoS One 2012; e43134.
- Corella D, Ortega-Azorín C, Sorlí JV, **Covas MI**, et al. Statistical and biological gene-lifestyle interactions of MC4R and FTO with diet and physical activity on obesity: new effects on alcohol consumption. PLoS One. 2012;7(12):e52344.
- Medina-Remón A, Vallverdú-Queralt A, Arranz S, Ros E, Martínez-González MA, Sacanella E, **Covas MI**, et al. *Gazpacho consumption is associated with lower blood pressure and reduced hypertension in a high cardiovascular risk cohort. Cross-sectional study of the PREDIMED trial*. Nutr Metab Cardiovasc Dis. 2012; 23(10):944-52.
- Ortega-Azorín C, Sorlí JV, Asensio EM, Coltell O, Martínez-González MA, Salas-Salvadó J, **Covas MI**, et al. *Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low*. Cardiovasc Diabetol. 2012 Nov 6;11:137.
- Funtikova A, Baena-Díez JM, Koebnick C, Gomez SF, **Covas MI**, et al. *Validity of a short diet-quality index to predict changes in anthropometric and cardiovascular risk factors: a simulation study*. Eur J Clin Nutr 2012
- Mitjavila MT, Fandos M, Salas-Salvadó J, **Covas MI** et al. *The Mediterranean diet improves the systemic lipid and DNA oxidative damage in metabolic syndrome individuals. A randomized, controlled, trial*. Cardiovasc Diabetol 2012; 11: 137-142.
- Díaz-López A, Bulló M, Martínez-González MÁ, Guasch-Ferré M, Ros E, Basora J, **Covas MI**, et al. *Effects of Mediterranean Diets on Kidney Function: A Report From the PREDIMED Trial*. Am J Kidney Dis. 2012;60:380-9.
- Urpí-Sardá M, Casas R, Chiva-Blanch G, Romero-Mamani ES, Valderas-Martínez P, Salas-Salvadó J, **Covas MI**, et al. *The Mediterranean diet pattern and its main components are associated with lower plasma concentrations of tumor necrosis factor receptor 60 in patients at high risk for cardiovascular disease*. J Nutr. 2012;142:1019-25.

-Schröder H, Benitez Arciniega A, Soler C, **Covas MI**, et al. REGICOR investigators; HERMES investigators. *Validity of two short screeners for diet quality in time-limited settings*. *Public Health Nutr*. 2012;15:618-26.

-Martínez-González MA, Corella D, Salas-Salvadó J, Ros E, **Covas MI**, et al; PREDIMED Study Investigators. *Cohort profile: design and methods of the PREDIMED study*. *Int J Epidemiol*. 2012; 41:377-85.

-Benítez-Arciniega AA, Mendez MA, Baena-Díez JM, Rovira Martori MA, Soler C, Marrugat J, **Covas MI**, et al. *Concurrent and construct validity of Mediterranean diet scores as assessed by an FFQ*. *Public Health Nutr*. 2011;14:2015-21.

-Schröder H, Fitó M, Estruch R, Martínez-González MA, Corella D, Salas-Salvadó J, Lamuela-Raventós R, Ros E, Salaverría I, Fiol M, Lapetra J, Vinyoles E, Gómez-Gracia E, Lahoz C, Serra-Majem L, Pintó X, Ruiz-Gutierrez V, **Covas MI**. *A short screener is valid for assessing Mediterranean diet adherence among older Spanish men and women*. *J Nutr*. 2011 Jun;141:1140-5.

-Sala-Vila A, Harris WS, Cofán M, Pérez-Heras AM, Pintó X, Lamuela-Raventós RM, **Covas MI**, et al. *Determinants of the omega-3 index in a Mediterranean population at increased risk for CHD*. *Br J Nutr*. 2011 ;:425-31.

-Salas-Salvadó J, Bulló M, Babio N, Martínez-González MÁ, Ibarrola-Jurado N, Basora J, Estruch R, **Covas MI**, et al; PREDIMED Study Investigators. *Reduction in the incidence of type 2 diabetes with the Mediterranean diet: results of the PREDIMED-Reus nutrition intervention randomized trial*. *Diabetes Care*. 2011;34:14-9.

-Schröder H, Mendez MA, Ribas-Barba L, **Covas MI**, et al. *Mediterranean diet and waist circumference in a representative national sample of young Spaniards*. *Int J Pediatr Obes*. 2010;5:516-9.

Medina-Remón A, Zamora-Ros R, Rotchés-Ribalta M, Andres-Lacueva C, Martínez-González MA, **Covas MI**, et al. on behalf of the PREDIMED Study Investigators. *Total polyphenol excretion and blood pressure in subjects at high cardiovascular risk*. *Nutr Metab Cardiovasc Dis* 2010 21:323-31.

-Perona JS, **Covas MI**, et al. *Reduction in systemic and VLDL triacylglycerol concentration after a 3-month Mediterranean-style diet in high-cardiovascular-risk subjects*. *J Nutr Biochem* 2010;21:892-8.

-Schröder H, de la Torre R, Estruch R, Corella D, Martínez-González MA, Salas-Salvadó J, Ros E, Arós F, Flores G, Civit E, Farré M, Fiol M, Vila J, Fernandez-Crehuet J, Ruiz-Gutiérrez V, Lapetra J, Sáez G, **Covas MI**; PREDIMED Study Investigators. *Alcohol consumption is associated with high concentrations of urinary hydroxytyrosol*. *Am J Clin Nutr* 2009;90:1329-35.

- Covas MI, et al. *Wine and oxidative stress: up-to-date evidence of the effects of moderate wine consumption on oxidative damage in humans*. *Atherosclerosis* 2010;208:297-304.
- Ortuño J, Covas MI, et al. *Matrix effects on the bioavailability of resveratrol in humans*. *Food Chem* 2010; 120:1123–30.
- Salas-Salvadó J, Fernández-Ballart J, Ros E, Martínez-González MA, Fitó M, Estruch R, Corella D, Fiol M, Gómez-Gracia E, Arós F, Flores G, Lapetra J, Lamuela-Raventós R, Ruiz-Gutiérrez V, Bulló M, Basora J, Covas MI; PREDIMED Study Investigators. *Effect of a Mediterranean diet supplemented with nuts on metabolic syndrome status: one-year results of the PREDIMED randomized trial*. *Arch Intern Med*. 2008;168:2449-58.
- Carmona-Torre F de A, García-Arellano A, Marqués-Lopes I, Basora J, Corella D, Gómez-Gracia E, Fiol M, Covas MI, al for the PREDIMED Group. *Relationship of alcoholic beverage consumption to food habits in a Mediterranean population*. *Am J Health Promot*. 2008;23:27-30.
- Fitó M, Guxens M, Corella D, Sáez G, Estruch R, de la Torre R, Francés F, Cabezas C, López-Sabater MC, Marrugat M, García Arellano A, Arós F, Ruiz-Gutierrez V, Ros E, Salas-Salvadó J, Fiol M, Solá R, Covas MI. *Effect of a Traditional Mediterranean Diet on Lipoprotein Oxidation*. *Arch Int Med* 2007; 167:1195-203.
- Urpí-Sarda M, Zamora-Ros R, Lamuela-Raventós R, Cherubini A, Jauregui O, de la Torre R, Covas MI, et al. *HPLC-Tandem Mass Spectrometric Method to Characterize Resveratrol Metabolism in Humans*. *Clin Chem* 2007;53:292-9.
- Covas MI**. *Benefits of the Mediterranean diet on cardiovascular disease*. *Future Cardiol* 2007;3:575-8.
- Estruch R, Martínez-González MA, Corella D, Salas-Salvadó J, Ruiz-Gutiérrez V, Covas MI, et al. - *Effects of a Mediterranean-Style Diet on Cardiovascular Risk Factors: A Randomized Trial*. *Ann Int Med* 2006;145:1-11.
- De la Torre R Covas MI et al. *Is dopamine behind the benefits of red wine?* *Eur J Nutr* 2006; 45:307-310.
- Urpí-Sardá M, Jáuregui O, Lamuela-Raventós RM, Jaeger W, Miksits M, Covas MI et al. *Uptake of Diet Resveratrol into the Human Low Density Lipoprotein. Identification and Quantification of Resveratrol Metabolites by Liquid Chromatography coupled with Tandem Mass Spectrometry*. *Anal Chem* 2005; 77:3149-55.
- Schröder H, Marrugat J, Covas MI. *High monetary costs of dietary patterns associated with lower body mass index: a population-based study*. *Int J Obes (Lond)*. 2006;30:1574-9.

- Schröder H, Marrugat J, Vila J, **Covas MI**, et al. *Adherence to the traditional Mediterranean diet is inversely associated with body mass index and obesity in a Spanish population.* J Nutr. 2004;134:3355-61.
- Schröder H, **Covas MI**, et al. *Use of a three-day estimated food record, a 72-hour recall and a food-frequency questionnaire for dietary assessment in a Mediterranean Spanish population.* Clin Nutr 2001;20:429-37.
- Lamuela-Raventós RM, **Covas MI**, et al. *Detection of dietary antioxidant phenolic compounds in human LDL.* Clin Chem 1999;45:1870-2.

Articles related to Cardiovascular Risk Factors

- Gómez M, Vila J, Elosua R, Molina L, Bruguera J, Sala J, Masià R, **Covas MI**, et al. *Relationship of lipid oxidation with subclinical atherosclerosis and 10-year coronary events in general population.* Atherosclerosis. 2014 Jan;232(1):134-40.
- Guasch-Ferré M, Bulló M, Estruch R, Corella D, Martínez-González MA, Ros E, **Covas M**, et al; PREDIMED Study Group. *Dietary magnesium intake is inversely associated with mortality in adults at high cardiovascular disease risk.* J Nutr. 2014 Jan;144(1):55-60.
- Mejía-Lancheros C, Estruch R, Martínez-González MA, Salas-Salvadó J, Corella D, Gómez-Gracia E, Fiol M, Lapetra J, **Covas MI**, et al.; PREDIMED Study Investigators. *Socioeconomic status and health inequalities for cardiovascular prevention among elderly spaniards.* Rev Esp Cardiol (Engl Ed). 2013;66(10):803-11.
- Díaz-López A, Bulló M, Juanola-Falgarona M, Martínez-González MA, Estruch R, **Covas MI**, et al. *Reduced serum concentrations of carboxylated and undercarboxylated osteocalcin are associated with risk of developing type 2 diabetes mellitus in a high cardiovascular risk population: a nested case-control study.* J Clin Endocrinol Metab. 2013 Nov;98(11):4524-31.
- Bautista-Castaño I, Sánchez-Villegas A, Estruch R, Martínez-González MA, Corella D, Salas-Salvadó J, **Covas MI**, et al. *Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk.* Br J Nutr. 2013 ;110:337-446.
- Mayneris-Perxachs J, Guerendiain M, Castellote AI, Estruch R, **Covas MI**, et al; for PREDIMED Study Investigators. *Plasma fatty acid composition, estimated desaturase activities, and their relation with the metabolic syndrome in a population at high risk of cardiovascular disease.* Clin Nutr. 2013; 33(1):90-7.

- Díaz-López A, Maymó-Masip E, Bulló M, Chacón MR, Martínez-González MA, Estruch R, Vendrell J, Basora J, Díez-Espino J, **Covas MI**, Salas-Salvadó J. *Serum sTWEAK concentrations and risk of developing type 2 diabetes in a high cardiovascular risk population: a nested case-control study.* Clin Endocrinol Metab. 2013; 98(8):3482-90
- Fernández-Real JM, Corella D, Goumidi L, Mercader JM, Valdés S, Rojo Martínez G, Ortega F, Martínez-Larrad MT, Gómez-Zumaquero JM, Salas-Salvadó J, Martínez- González MA, **Covas MI**, et al. *Thyroid hormone receptor alpha gene variants increase the risk of developing obesity and show gene-diet interactions.* Int J Obes (Lond) 2013; 37(11):1499-505.
- Babio N, Ibarrola-Jurado N, Bulló M, Martínez-González MÁ, Wärnberg J, Salaverría I, Ortega-Calvo M, Estruch R, Serra-Majem L, **Covas MI**, et al.; PREDIMED Study Investigators. *White blood cell counts as risk markers of developing metabolic syndrome and its components in the Predimed study.* PLoS One 2013;8: e58354
- Rovira MA, Grau M, Castañer O, **Covas MI**, Schröder H; REGICOR Investigators. *Dietary Supplement Use and Health-Related Behaviors in a Mediterranean Population.* J Nutr Educ Behav. 2012; 45:386-91.
- Díaz-López A, Bulló M, Basora J, Martínez-González MA, Guasch-Ferré M, Estruch R, Wärnberg J, Serra-Majem L, Arós F, Lapetra J, Ros E, Pintó X, **Covas MI**, et al. *Cross-sectional associations between macronutrient intake and chronic kidney disease in a population at high cardiovascular risk.* Clin Nutr. 2013;32:606-612.
- Fitó M, Grau M, Marrugat J, **Covas MI**. *Cholesterol-HDL levels and functionality of the HDL particle, its antiinflammatory/ antioxidant properties.* En: Columbus F. HDL cholesterol: roles, effects and elevation. Hauppauge, NY: Nova Science Publisher 2012.
- Guasch-Ferré M, Bulló M, Martínez-González MÁ, Corella D, Estruch R, **Covas MI**, et al. *Waist-to-Height Ratio and Cardiovascular Risk Factors in Elderly Individuals at High Cardiovascular Risk.* PLoS One. 2012;7(8):e43275.
- Bulló M, Garcia-Aloy M, Basora J, **Covas MI**, et al. *Bone quantitative ultrasound measurements in relation to the metabolic syndrome and type 2 diabetes mellitus in a cohort of elderly subjects at high risk of cardiovascular disease from the PREDIMED study.* J Nutr Health Aging. 2011 Dec;15:939-44
- Muñoz MA, Subirana I, Elosua R, **Covas MI**, et al. *Utility of a short quality of life questionnaire to predict cardiovascular events.* Int J Cardiol. 2011;151:392-4.
- Bulló M, Garcia-Aloy M, Martínez-González MA, Corella D, Fernández-Ballart JD, Fiol M, Gómez-Gracia E, Estruch R, Ortega-Calvo M, Francisco S, Flores-Mateo G, Serra-Majem L, Pintó X, **Covas MI**

et al. *Association between a healthy lifestyle and general obesity and abdominal obesity in an elderly population at high cardiovascular risk*. *Prev Med*. 2011;53:155-61.

-Grau M, Subirana I, Elosua R, Fitó M, **Covas MI**, et al; REGICOR Investigators. *Why should population attributable fractions be periodically recalculated? An example from cardiovascular risk estimation in southern Europe*. *Prev Med* 2010;51:78-84.

-Papantoniou K, Fito M, **Covas MI**, et al. *Trans Fatty acid consumption, lifestyle and type 2 diabetes prevalence in a Spanish population*. *Eur J Nutr*. 2010;49:357-64.

-Fandos M, Corella D, Guillén M, Portolés O, Carrasco P, Iradi A, Martínez-González MA, Estruch R, **Covas MI**, et al. *Impact of cardiovascular risk factors on oxidative stress and DNA damage in a high risk Mediterranean population*. *Free Radic Res*. 2009;43:1179-86.

-Mateo G, Carrillo-Santesteban P, Elosua R, Guallar E, Marrugat J, Bleyers J, **Covas MI**. *Antioxidant enzyme activity and coronary heart disease: meta-analyses of observational studies*. *Am J Epidemiol*. 2009;170:135-47.

-Guxens M, Fitó M, Martínez-González MA, Salas-Salvadó J, Estruch R, Vinyoles E, Fiol M, Corella D, Arós F, Gómez-Gracia E, Ruiz-Gutiérrez V, Lapetra J, Ros E, Vila J, **Covas MI**. *Hypertensive status and lipoprotein oxidation in an elderly population at high cardiovascular risk*. *Am J Hypertens*. 2009;22:68-73.

-Mendez MA, **Covas MI**, et al. *Glycemic load, glycemic index, and body mass index in Spanish adults*. *Am J Clin Nutr*. 2009 ;89:316-22.

-Grau M, Guxens M, Subirana I, Fitó M, **Covas MI**, et al. AIRGENE Study group. *South-to-North gradient in lipid peroxidation in men with stable coronary artery disease in Europe*. *Eur Heart J* 2007;28:2841-9.

-Manresa JM, Zamora A, Tomás M, Sentí M, Fitó M, **Covas MI**, et al. *Relationship of classical and non-classical risk factors with genetic variants relevant to coronary heart disease*. *Eur J Cardiovasc Prev Rehabil*. 2006;13:738-44

-Schröder H, Marrugat J, Fitó M, Weinbrenner T, **Covas MI**. *Alcohol consumption is directly associated with circulating oxidized low-density lipoprotein*. *Free Rad Biol Med* 2006; 40: 1474-81.

-Weinbrenner T, Schröder H, Escurriol V, Fitó M, Elosua R, Vila J, Marrugat J, **Covas MI**. *Circulating oxidized LDL and C reactive protein are associated with increased waist circumference independent of body mass index in men and women*. *Am J Clin Nutr* 2006;83:30-35.

-Arquer A, Elosua R, **Covas MI**, et al. *Amount and intensity of physical activity, fitness, and serum lipids in pre-menopausal women*. *Int J Sports Med*. 2006;27:911-8

- Sentí M, Tomás M, Fitó M, Weinbrenner T, **Covas MI** et al. *Antioxidant paraoxonase 1 activity in the metabolic syndrome*. J Clin Endocrinol Metab. 2003;88:5422-6.
- Schröder H, Marrugat J, Elosua R, **Covas MI**. *Relationship between body mass index, serum cholesterol, leisure-time physical activity, and diet in a Mediterranean Southern-Europe population*. Br J Nutr. 2003;90:431-9.
- Elosua R, Molina L, Fitó M, Arquer A, Sanchez-Quesada JL, **Covas MI**, et al. *Response of oxidative stress biomarkers to a 16-week aerobic physical activity program, and to acute physical activity, in healthy young men and women*. Atherosclerosis. 2003;167:327-34.
- Senti; M, Tomás M, Anglada R, Elosua R, Marrugat J, **Covas MI**, et al. *Interrelationship of smoking, paraoxonase activity, and leisure time physical activity: a population-based study*. Eur J Intern Med. 2003;14:178-184.
- Pedro-Botet J, **Covas MI**, et al. *Decreased endogenous antioxidant enzymatic status in essential hypertension*. J Hum Hypertens 2000;14:343-5.
- Martín S, Elosua R, **Covas MI**, et al. *Relationship of lipoprotein(a) levels to physical activity and family history of coronary heart disease*. Am J Public Health 1999;89:383-5.